

Your Perfect Wood Floor & More...

MAY 2022



WOOD FLOORING

v4woodflooring.co.uk

DC104 Nordic Beach Plank

Your Perfect Wood Floor

We invite you to join us and bring nature inside, with our collection of quality hardwood and laminate wood floors.

Whether you are looking to redesign one room, or create your dream home from scratch, we can help you find the right floor to create your perfect space.

Our floors are made to the highest level of quality and are available in an extensive range of formats and hand crafted finishes, to choose from.

We guarantee our hardwood floors for 35 Years.
So rest assured, your perfect floor will last a lifetime.




Enjoy Our Interactive Brochure

Each floor in this brochure has a unique QR code so you can quickly find information such as the latest price guide.

Using the camera on your smartphone **simply scan a floor's QR code** for instant access to the relevant page on our website. There you can learn more about each floor, browse image galleries, use our room visualiser, order free samples, and much more.

You can also talk to us on **01276 488099**
or email **enquiries@v4woodflooring.co.uk**
Visit **v4woodflooring.co.uk**





Bring Nature Inside

With our responsibly
sourced, quality
hardwood flooring

Our family run business employs an environmentally friendly approach using engineered wood flooring made only from sustainably sourced timber. This means choosing V4 is not only a great choice for yourself, but also the planet.

V4 is proud to be FSC® and PEFC® certified. All V4 Wood Flooring products are produced in FSC® Certified factories and comply fully with the UK Timber Regulations.

Look out for the FSC® and PEFC® logos on certified products.



The mark of
responsible forestry



Product Icons

These illustrate key features and characteristics of each floor, including types of finish and installation methods, which can be used and can help you choose your floor.



UV Lacquer Finish



Natural Oil Finish



UV Oil Finish



Hardwax Oil Finish



Laminate Wear Rating



Suitable For Under Floor Heating



Floated Installation On Underlay



Direct Fixed With Adhesive



Micro-Bevelled On 4 Sides



Tongue & Groove Fitting



Lock System Fitting



Guarantee

Parquet

- 6** Zigzag Herringbone
- 10** Tundra Herringbone
- 12** Tundra Herringbone
- 14** Tundra Chevron

Plank

- 16** Alpine
- 18** Deco
- 20** Driftwood
- 24** Urban Nature
- 26** Eiger
- 29** Vittoria

Natureffect® Laminate

- 30** Natureffect Laminate
- 32** Natureffect Aqualock Laminate
- 34** Natureffect XXL Laminate
- 36** Natureffect Parquet Laminate

Wall

- 38** Panneau Timber Wall

Advice

- 40** Floor Care Advice
- 42** How To Buy Your V4 Wood Flooring

What's Inside?

Zigzag

Engineered Herringbone

Design your floor space the way you want it with our modern twist on traditional parquet flooring. Zigzag precision milled engineered blocks have a universal fitting system that creates the perfect herringbone floor as well as many new patterns.



ZB105 Foundry Steel

**ZB101 Frozen Umber**

Brushed, Stained & Hardwax Oiled Rustic Oak Bevel Edged Block. FSC® 100% Certified. W90 D14 L360 mm

**ZB102 Nordic Beach**

Brushed, Stained & Hardwax Oiled Rustic Oak Bevel Edged Block. FSC® 100% Certified. W90 D14 L360 mm

**ZB103 Silver Haze**

Brushed, Stained & Hardwax Oiled Rustic Oak Bevel Edged Block. FSC® 100% Certified. W90 D14 L360 mm

**ZB105 Foundry Steel**

Distressed, Stained & UV Oiled Rustic Oak Bevel Edged Block. FSC® 100% Certified. W90 D14 L360 mm





ZB106 Tannery Brown

Distressed, Stained & UV Oiled Rustic Oak Bevel
Edged Block. FSC® 100% Certified. W90 D14 L360 mm



ZB108 Natural Oak

Smooth Sanded & Hardwax Oiled Rustic Oak Bevel
Edged Block. FSC® Mixed Credit. W90 D14 L360 mm



ZB109 Brushed & Lacquered Oak

Brushed & Matt Lacquered Rustic Oak Bevel Edged
Block. FSC® Mixed Credit. W90 D14 L360 mm



ZB201 Smoked Oak

Brushed, Smoked & UV Oiled Rustic Oak Bevel Edged
Block. FSC® 100% Certified. W90 D14 L360 mm



**ZB203 White Smoked Oak**

Brushed, Smoked & White UV Oiled Oak Bevel Edged
Block. FSC® 100% Certified. W90 D14 L360 mm

**ZB204 Shore Drift Oak**

Brushed & Invisible lacquered Rustic Oak Bevel Edged
Block. FSC® 100% Certified. W90 D14 L360 mm

**ZB205 American Black Walnut**

Smooth Sanded, UV Oiled Mixed Grade Black
Walnut Bevel Edged Block. W90 D14 L360 mm



Tundra Herringbone

Tundra Herringbone is milled from natural grade European oak. The large sized blocks display less rustic blemishing and only occasional small knots, whilst still retaining the characteristic swirls of natural oak grain pattern. The result is a floor with flowing, smooth lines, perfect for all spaces large and small. These floors are FSC® 100% Certified.



TH101 Oak Natural

**TH101 Oak Natural**

Brushed & UV Oiled Bevel Edged Natural Grade Oak
Block FSC® 100% Certified. W100 D15 L500 mm

**TH103 Smoked Oak**

Brushed & UV Oiled Bevel Edged Smoked Natural Grade
Oak Block. FSC® 100% Certified. W100 D15 L500 mm

**TH104 Seashell**

Brushed & UV Colour Oiled Bevel Edged Natural Grade
Oak Block. FSC® 100% Certified. W100 D15 L500 mm

**TH106 Thermo Oak**

Brushed & UV Oiled Bevel Edged Natural Grade Thermo
Oak Block. FSC® 100% Certified. W98 D15 L500 mm



Tundra


Herringbone Strip

These slender engineered strips of oak are packed full of character. The more narrow proportions have an elongating effect which accentuates the rustic grain, creating a delicate multi directional pattern across the floor space. These floors are FSC® 100% Certified.



TH107 Oak Natural

Brushed & UV Oiled Bevel Edged Rustic Grade Oak
Bloc. FSC® 100% Certified. W70 D11 L490 mm




TH108 Smoked Oak

Brushed & UV Oiled Bevel Edged Smoked Rustic Grade
Oak Block. FSC® 100% Certified. W70 D11 L490 mm




**TH109 Seashell**

Brushed & UV Colour Oiled Bevel Edged Rustic Grade
Oak Block. FSC® 100% Certified. W70 D11 L490 mm

**TH110 Misty Grey**

Brushed & UV Colour Oiled Bevel Edged Rustic Grade
Oak Block. FSC® 100% Certified. W70 D11 L490 mm

**TH111 Thermo Oak**

Brushed & UV Oiled Thermo Treated Rustic Grade Oak
Block. FSC® 100% Certified. W70 D11 L490 mm




Tundra Chevron

A modern take on the classic 17th Century French herringbone style. These precision engineered European oak strips with 45° angled headers fit perfectly together to form ordered rows of natural grain that work in all directions to complete interiors spaces of any shape and size. These floors are FSC® 100% Certified.



CV101 Oak Natural
Brushed & UV Oiled Bevel Edged Rustic Oak Block.
FSC® 100% Certified.W90 D9 L610 mm




CV103 Smoked Oak
Brushed & UV Oiled Bevel Edged Smoked Rustic Oak Block. FSC® 100% Certified. W90 D10 L610 mm





CV104 Seashell

Brushed & UV Colour Oiled Bevel Edged Rustic Oak Block. FSC® 100% Certified. W90 D9 L610 mm



CV105 Misty Grey

Brushed & UV Colour Oiled Bevel Edged Rustic Oak Block. FSC® 100% Certified. W90 D9 L610 mm



CV106 Thermo Oak


Brushed & UV Oiled Bevel Edged Thermo Treated Oak Block. FSC® 100% Certified. W90 D10 L610 mm




Alpine

Hardwood floors finished with simple elegance. This is a collection that showcases the natural beauty of hardwood using simple finishes and quality precision milling to produce a collection of well proportioned engineered wood floors.




 **A103 Oak Rustic Brushed & Lacquered**
Brushed & Matt Lacquered Rustic Oak Bevel
Edged Plank. W150 D14 L1900 mm



 **A101 Oak Rustic Satin Lacquered**
Satin Lacquered Rustic Oak Bevel Edged
Plank. W150 D14 L1900 mm



 **A104 Oak Rustic Brushed & Oiled**
Brushed & UV Oiled Rustic Oak Bevel Edged
Plank. W150 D14 L1900 mm





A110 Oak Rustic Matt Lacquered
Matt Lacquered Rustic Oak Bevel
Edged Plank. W190 D14 L1900 mm



A111 Oak Rustic Brushed & Lacquered
Brushed & Matt Lacquered Rustic Oak
Bevel Edged Plank. W190 D14 L1900 mm



A112 Oak Rustic Oiled
UV Oiled Rustic Oak Bevel Edged
Plank. W190 D14 L1900 mm



A106 Walnut Matt Lacquered
Matt Lacquered Mixed Grade Black Walnut
Bevel Edged Plank. W127 D14 L[Random] mm



Deco

Created with a combination of traditional wood Lye staining techniques and delicate surface brushing. The result is a tactile oak top layer to which layers of colour oil are hand applied to create boards with a distinctive grain and deep lustre. These floors are FSC® 100% Certified.



DC104 Nordic Beach

Brushed, Lye Stained & Colour Hardwax Oiled Rustic Oak
Bevel Edged Plank. Dimensions: W190 D14 L1900 mm



DC101 Frozen Umber

Brushed, Lye Stained & Colour Hardwax Oiled Rustic Oak
Bevel Edged Plank. Dimensions: W190 D14 L1900 mm



DC105 Silver Haze


Brushed, Lye Stained & Colour Hardwax Oiled Rustic Oak
Bevel Edged Plank. Dimensions: W190 D14 L1900 mm





DC201 Smoked Oak

Brushed, Smoked & UV Oiled Oak Bevel Edged Plank.
Dimensions: W190 D14 L1900 mm



DC203 White Smoked Oak

Smoked, Brushed & White UV Oiled Oak Bevel Edged Plank. Dimensions: W190 D14 L1900 mm



DC204 Shore Drift Oak

Brushed & Invisible lacquered Rustic Oak Bevel Edged Plank. Dimensions: W190 D14 L1900 mm



DC205 American Black Walnut

Smooth Sanded, UV Oiled Mixed Grade Black Walnut Bevel Edged Plank. Dimensions: W190 D14 L1900 mm



Driftwood

Hardwood floors finished with simple elegance. This is a collection that showcases the natural beauty of hardwood using simple finishes and quality precision milling to produce a collection of well proportioned engineered wood floors.



AL108 Lichen White Oak

**A305 Deckboard Oak**

Smooth Sanded Lacquered Rustic Oak Three
Strip with Square Edge W207 D14 L2200 mm

**AL101 Brushed Oak**

Brushed & Matt Lacquered Rustic Bevel
Edged Oak Plank. W180 D14 L2200 mm

**AL102 Jetsam Oak**

Brushed, Stained & Matt Lacquered Rustic
Bevel Edged Oak Plank. W180 D14 L2200 mm

**AL103 Fjordic Shore**

Brushed, Stained & Matt Lacquered Rustic
Bevel Edged Oak Plank. W180 D14 L2200 mm





AL104 Silver Sands

Brushed, Stained & Matt Lacquered Rustic
Bevel Edged Oak Plank. W180 D14 L2200 mm



AL106 Marsh Grey Oak

Brushed, Stained & Matt Lacquered Rustic
Oak Bevel Edged Plank. W207 D14 L2200 mm



AL107 Pebble Grey Oak

Brushed, Stained & Matt Lacquered Rustic
Oak Bevel Edged Plank. W155 D14 L2200 mm



**AL108 Lichen White Oak**

Brushed, Stained & Matt Lacquered Rustic
Oak Bevel Edged Plank. W207 D14 L2200 mm

**AL109 Embered Oak**

Brushed, Stained & Matt Lacquered Rustic
Oak Bevel Edged Plank. W207 D14 L2200 mm

**AL110 Burnt Bracken Oak**

Brushed, Stained & Matt Lacquered Rustic
Oak Bevel Edged Plank. W180 D14 L2200 mm



Urban Nature

Inspired by cityscapes, reclaimed by nature. Traditional hand tooling techniques such as planing and scraping are used, along with open filled storm splits and knot holes, to create a distinctive well-trodden aesthetic which is both beautiful and hard wearing. These floors are FSC® 100% Certified.



UN102 Wharf Grey
Brushed, Stained & UV Oiled Rustic Oak
Bevel Edged Plank. W190 D15 L1900 mm





UN103 Weathered Beam

Embossed, Open Filled Cracks, Stained & Hardwax Oiled
Rustic Oak Bevel Edged Plank. W190 D15 L1900 mm



UN104 Fired Brick

Distressed, Cross Sawed, Stained & UV Oiled Rustic
Oak Bevel Edged Plank. W190 D15 L1900 mm



UN105 Tannery Brown

Distressed, Cross Sawed, Stained & UV Oiled Rustic
Oak Bevel Edged Plank. W190 D15 L1900 mm



UN106 Limehouse White

Embossed, Cracked & Open Fill, Stained & Hardwax Oiled
Rustic Oak Bevel Edged Plank. W190 D15 L1900 mm



Eiger

Combining natural beauty with unrivalled strength & stability. The Eiger collection is born from the idea of creating engineered boards with the same robust look and feel of traditional solid wood flooring. Made more sustainable by only using the precious oak on the extra thick top layer, so that none is wasted. These floors are magnificent.



EC101 Oak Rustic Matt Lacquered

Smooth Sanded & Matt Lacquered Rustic Oak
Bevel Edged Plank. W190 D18 L1900 mm





EC102 Oak Rustic Oiled

Smooth Sanded & Hardwax Oiled Rustic Oak
Bevel Edged Plank. W190 D18 L1900 mm



EC103 Oak Brushed & Oiled

Brushed & Hardwax Oiled Rustic Oak Bevel
Edged Plank. W190 D18 L1900 mm



EG104 Grand Oak Rustic Oiled

Smooth Sanded & Natural Oiled Rustic Oak
Bevel Edged Plank. W240 D21 L1900 mm



EG106 Grand Rustic Oak Oiled

Smooth Sanded & Natural Oiled Rustic Oak
Bevel Edged Plank. W220 D21 L2200 mm





E125 Petit Oak Satin Lacquered

Satin Lacquered Rustic Oak Bevel Edged
Plank. W125 D18 L [Random] 300-1500 mm



EP101 Petit Oak Brushed & Oiled

Brushed & UV Oiled Rustic Oak Bevel Edged
Plank. W150 D18 L [Random] 300-1500 mm



EP103 Petit Golden Oak

Brushed, Stained & UV Oiled Rustic Oak Bevel
Edged Plank. W125 D18 L [Random] 300-1500 mm



EP104 Petit Grey Oak

Brushed Grey Stained & Lacquered Rustic Oak Edged
Plank. W150 D18 L [Random] 300-1500 mm




Vittoria

A contemporary collection of hard wearing UV cured, oil finished oak floors. Precision milled with random length planks that fit together perfectly, to work in any sized space. These floors offer great value for money, whilst still delivering the same high level finish and quality of the rest of the V4 collections.




 **VIT107 Oak Rustic Oiled 190**
Smooth Sanded & UV Oiled Rustic Oak Bevel
Edged Plank. W190 D14 L300-1200 [Random] mm



 **VIT102 Oak Rustic Oiled 150**
Smooth Sanded & UV Oiled Rustic Oak Bevel
Edged Plank. W150 D14 L300-1200 [Random] mm



 **VIT108 Oak Rustic Smoked**
Smoked Brushed & UV Oiled Rustic Oak Bevel
Edged Plank. W190 D14 L300-1200 [Random] mm



Natureffect® Laminate Plank

Quality Laminate wood floors with glueless locking installation for interior use. Imprinted with a natural textured grain that is warm and tactile under foot, this durable and unique surface gives every sensation of a real timber floor. Perfect for everyday use in your home.




NE23 Cairn Stone Oak
Rustic Oak Effect Bevel Edged
Locking Plank. W194 D8 L1286 mm




NE24 Wheaten Tan Oak
Rustic Oak Effect Bevel Edged
Locking Plank. W194 D8 L1286 mm




 **NE27 Hay Bluff Oak**
Rustic Oak Effect Bevel Edged
Locking Plank. W194 D8 L1286 mm




 **NE28 Bracken Brown Oak**
Rustic Oak Effect Bevel Edged
Locking Plank. W194 D8 L1286 mm



 **NE31 Silent Pool Oak**
Rustic Oak Effect Bevel Edged
Locking Plank. W194 D8 L1286 mm



 **NE32 Sun Washed Oak**
Rustic Oak Effect Bevel Edged
Locking Plank. W194 D8 L1286 mm

Natureffect® Aqualock Laminate Plank

A water-resistant locking mechanism tested and certified to withstand water ingress for 36 hours, makes for an ideal flooring solution for the busy family home where accidental spills can be mopped up with the added confidence that the floor has not been damaged.



NAL51 Fenland Oak

Rustic Oak Effect Bevel Edged
Locking Plank. W192 D8 L1285 mm



NAL52 Hammer Beam Oak

Rustic Oak Effect Bevel Edged
Locking Plank. W192 D8 L1285 mm



NAL53 Indian Summer Oak
Rustic Oak Effect Bevel Edged
Locking Plank. W192 D8 L1285 mm



NAL54 Granary Oak
Rustic Oak Effect Bevel Edged
Locking Plank. W192 D8 L1285 mm



NAL55 Silvered Oak
Rustic Oak Effect Bevel Edged
Locking Plank. W192 D8 L1285 mm



NAL56 Cromer Sands Oak
Rustic Oak Effect Bevel Edged
Locking Plank. W192 D8 L1285 mm

Natureffect® XXL Laminate Plank

Extra large laminate planks are imprinted and embossed with natural textured grain, making it almost impossible to distinguish from our real oak floors. The ultra tough PU coating is AC5 rated for residential and commercial use.



NEXL33 Arctic Sky

Registered Embossed Nature Grade Stained Oak
Effect Bevel Edged Locking Plank. W243 D12 L2175 mm



NEXL34 Burnished Elm

Registered Embossed Rustic Aged Elm Effect
Bevel Edged Locking Plank. W243 D12 L2175 mm



NEXL37 Golden Fall

Registered Embossed Fumed Rustic Oak Effect
Bevel Edged Locking Plank. W243 D12 L2175 mm



NEXL38 Beach House

Registered Embossed Bleached Rustic Oak Effect
Bevel Edged Locking Plank. W243 D12 L2175 mm



NEXL40 Inglenook Hearth

Registered Embossed Fumed Rustic Oak Effect Bevel
Edged Locking Plank. W243 D12 L2175 mm



NEXL41 Centuried Oak

Registered Embossed Weathered Rustic Oak Effect
Bevel Edged Locking Plank. W243 D12 L2175 mm




NEXL42 Tintagel

Registered Embossed Distressed Rustic Oak Effect
Bevel Edged Locking Plank. W243 D12 L2175 mm



NEXL43 Bell Stone Tor

Registered Embossed Distressed Rustic Oak Effect
Bevel Edged Locking Plank. W243 D12 L2175 mm



Natureffect® **Parquet** Laminate Herringbone

Registered embossed herringbone laminate that looks and feels just like real hardwood. Sealed with an ultra tough A6 rated coating the large scaled blocks, simply click together for an easy floated installation. Perfect for high traffic areas. Made sustainably these floors are PEFC® certified.



35
YEARS
QUALITY



NEHE50 Shortbread Oak

Registered Embossed Bevel Edged Laminate
Herringbone. W143 D12 L640 mm



NEHE51 Cumulus Oak

Registered Embossed Bevel Edged Laminate
Herringbone. W143 D12 L640 mm



NEHE52 Gorseland Oak

Registered Embossed Bevel Edged Laminate
Herringbone. W143 D12 L640 mm




NEHE53 North Star Oak

Registered Embossed Bevel Edged Laminate
Herringbone. W143 D12 L640 mm


Panneau Wall

Make a feature of your walls with the Panneau wooden wall panel collection. Made from reclaimed, recycled and repurposed timber, these decorative wall panels are available in a range of colours and patterns, bringing the natural beauty and texture of real wood to easy to install feature wall panels.



PL4 Cracked Oak

Strips of kiln dried European oak are split and cracked to form this rough hewn surface. W200 D20-50 L686 mm



PL6 Cask

Curved sections of ancient oak wine barrels are dismantled and recycled. W200 D20-50 L686 mm



PL20 Reclaim

Rough Sanded & Moulded Unfinished Reclaimed Chestnut. W200 D20-50 L686 mm



PL29 Black Walnut

Black high density wooden blocks of random thickness with a walnut veneer. W200 D20-50 L686 mm



PL51 Artisan

Thermo treated chunks of Eucalyptus with a deep burnished tone, accentuated by the split rough surface. W200 D20-50 L686 mm

Panneau is produced in finger jointed sections that slot together to form seamless installations. The sections are bonded with high grab flexible adhesive or simply fixed with headless pins and can be mitre cut to clad external corners.



Floor Care Advice

Wood floors offer natural durability and if properly cared for will last for generations. The following tips will help you get the most from your wooden floors. For detailed advice visit our website

For detailed advice and help on choosing the right floor to suit your needs visit the support pages at v4woodflooring.co.uk/support

There we will guide you through the installation processes and give you all the information you need to help you maintain and care for your flooring. **You will also find advice on how and where to buy your V4 Wood Flooring®**

What's better, oiled or lacquered?

It is important to understand what your wood floor is sealed with as it will affect the way you clean and maintain the surface. Lacquered or varnished floors will not need maintaining with oil but special care should be taken to avoid scratching as it can be more difficult to repair. Oiled floors will need periodic oil maintenance and can be commissioned with an extra coat of maintenance oil for areas of high traffic and areas where spills are more likely.

Keep a record of your floor's finish as this will be useful for maintaining your floor in the future

Regular cleaning

Daily/weekly cleaning consists of sweeping and vacuum cleaning. Sweep with a soft broom or dust-attracting flat head mop. When choosing a vacuum cleaner make sure it has a hard floor or parquet setting. Before you vacuum make sure this setting is selected and check the vacuum end for debris which could cause scratches. Floors can be periodically damp cleaned with an appropriate spray cleaning and mop pad or a well wrung out mop, avoiding use of excess moisture. **NEVER WET MOP OR STEAM CLEAN WOODEN FLOORS.** All spills should be wiped up immediately with an absorbent kitchen towel. Avoid abrasive microfibre cloths and wet wipes, which can react with the lacquer or oil and remove the finish.

Using the right type of floor cleaner

Both lacquered and oiled finishes are semi permeable allowing the wood to breathe. This means you should avoid using harsh chemical and abrasive cleaners on your hardwood or laminate wood floors. Many

'supermarket' brands claim to work well on all surfaces including wood floors but most should be avoided as they contain high acidic or caustic ingredients that will quickly compromise the lacquered or oiled surface of your floor, destroying the water and stain resistant properties.

Wipe up spills

Avoid standing water or liquid. Wipe up any liquid spills quickly and never allow spills to stay on the surface for any length of time. If moisture ingresses into the surface of your floor it may cause lasting damage. Oil and oil fried food can react with oiled surfaces and should be wiped up directly.

Correct ambient conditions

During the life of the floor ambient humidity must be maintained within the range of 45% to 65% RH and 18 to 24°C. This includes during periods when the property is unoccupied such as during holidays. Please note that high humidity may lead to warping and other issues, whilst excessive drying caused by high temperature &/or low humidity may lead to splits and warping. **Avoid rapid changes in temperature.**

Foot traffic

When possible avoid wearing outside shoes especially if wet or muddy. Stiletto heels may damage wood floor finish and cause compression marks on some wood species, and are not recommended for use on wood floors. Avoid heavy work boots with abrasive soles and thick treads which can retain abrasive objects such as gravel stones. In areas of high foot traffic pay special attention to daily cleaning and where possible use protective rugs and matting.

Kitchen floors

Lacquered wood floors are a good choice for Kitchens as they provide a surface that is stain resistant without the need for regular maintenance. Alternatively **oiled wood floors** also perform well in kitchens but should always have an extra coat of maintenance oil applied after installation. This commissioning coat is buffed into the surface after installation and ensures that the oil is evenly redistributed in the wood's surface, it also adds a water resistant seal between the joints of each board.

Entrance matting

Always have internal and external entrance matting at all entrances to the property; this will help prevent abrasive particles being carried onto the floor, and will extend the life of the floor finish.

Protect from furniture

Use self-adhesive felt pads on flat furniture feet to protect the floor from excessive scratching, and use felt based castor cups under wheeled furniture. A purpose made polypropylene floor mat must be used below wheeled office chairs. Heavy scratching will break the surface causing damage to the timber by ingress of moisture from cleaning.

Sunshine

Wood is a natural material and is affected by UV light. Oak will mellow and become darker and richer in tone. Each species will react in different ways to UV light. In rooms with large windows, especially those which are south facing, special care should be taken to reposition furniture and rugs to ensure an even colour across the floor.

Household plants

A) Take care when watering not to spill water around the base of any planter and avoid using metal trays as these can react with water and the natural tannins in oak to produce black watermarks.
B) A planter with soil soaked in water can cause the underside to be cold which can lead to condensation, so it is a good idea to use protective non-reactive plastic mats beneath pots and trays.

Pet care

A) Keep pets' claws well trimmed to avoid scratches and protect areas where they sleep and feed to avoid damage from moisture and spills.
B) Always protect flooring around your pet's food and water bowls from spills and standing water.

Protection whilst decorating

A) When protecting your floor, where possible **avoid covering with plastic sheeting** or any material which does not breathe as it can form condensation. Instead use card or fabric dust sheeting.
B) When using masking tape to paint round architrave and skirting, **DO NOT leave tape on the floor** longer than it takes to paint each coat. If left for more than a couple of hours, tape adhesive can react with the floor finish causing damage.
C) If paint is spilt remember that cleaning fluids may damage the floor so avoid if possible, instead use mild soap and a nylon brush to work away the paint.

For all your maintenance and installation queries visit
v4woodflooring.co.uk/support



How To Buy Your V4 Wood Flooring®

We supply our floors through a network of V4 Approved Retailers with showrooms and online stores. Use our store locator to find your local showroom. Here you can see large format samples and get expert advice from experienced flooring specialists, who can survey your home and offer a professional installation service that will guarantee your perfect wood floor.

1. Visit our website to find your perfect wood floor...

All our products in one place

Use simple navigation and filters to browse our floor and wall collections. Find the latest guide prices and view extensive image galleries. Discover more about the different flooring formats and wood finishes we offer. Read customer case studies and our floors in real homes

See our floors in your space

Use our Room Visualiser and upload pictures of your home to see your flooring choices in your own space

Order free samples

Once you have found your favourite products make sure you order some free postal samples so you can touch and feel the wood, these samples are cuttings from stock and are a snapshot of the overall floor.

2. See large samples and get expert advice...

Visit your local V4 showroom

We recommend where possible that you should visit one of our nationwide approved V4 Retailers where you can see large format samples. Approved retailers will display most if not all of our products and will be able to help you choose with advice on installation and maintenance.

Visit V4 World

Our design centre in Woking, Surrey houses the entire collection in large format samples and our expert team can guide you to your perfect floor and introduce you to a retailer or installer who will supply and fit your floor. Visit our website to book your appointment.

3. Order your V4 Wood Flooring...

With expert installation

Find your local V4 Approved Retailer who will be able to offer you competitive rates for supply and installation if required. They have expert installers and will be able to visit your home to measure and give you advice and an accurate quote, all free of charge.

Or buy online

Most of our V4 Approved Retailers also sell online. If you have chosen your flooring and you already have an experienced installer, you can purchase online at any of our V4 Approved Online Retailers. Simply search for V4 Wood Flooring in your internet browser and look out for our V4 Approved Retailer Logo.

Contact us for any advice

Email enquiries@v4woodflooring.co.uk
or call 01276 488099

v4woodflooring.co.uk

We are here to help you with expert advice on all things wood flooring.

**Call 01276 488099 or email
enquiries@v4woodflooring.co.uk**

Or why not visit V4 World
at our Surrey HQ

V4 Wood Flooring
Greenbays Park
Carthouse Lane
Horsell, Surrey
GU21 4YP

Opening Times
Monday - Saturday 10am - 4pm
Book a free design consultation at
v4woodflooring.co.uk/showroom



Printed with sustainability in mind.

Image / Print Disclaimer:

Wood flooring is a natural product with variations in colour. The colour reproduction in this brochure is for illustrative purposes only. Please use it as a guide in conjunction with the website and product samples. The information and images provided in this brochure are correct at time of print. © 2022 V4 Wood Flooring Ltd.



ZB102 Nordic Beach Parquet